



*Advantage through quality*



**Choose the precision  
and convenience.  
Choose our dispensers.**



## MACHINE DISHWASHING

# TENZI DOSE DISHWASHER DISPENSER

A reliable and optimized solution for precise dosing of detergent or rinse aid in commercial dishwashers. The system is equipped with a sensor that ensures accurate dispensing. The device offers multiple operating modes.



### TECHNICAL SPECIFICATIONS:

Dimensions: 95 x 89 x 100

Weight: 0,5 kg

### DISPENSER TYPES:



Tenzi Dose 1  
PERISTALTIC PUMP (FOR DETERGENT)  
• 100 ÷ 240 V AC, 50/60 Hz  
• Flow rate 10÷100 ml/min



Tenzi Dose 2  
PERISTALTIC PUMP (FOR RINSE AID)  
• 10 ÷ 240 V AC, 50/60 Hz  
• Flow rate 5÷50 ml/min

## MACHINE DISHWASHING

### WASHING

#### Gran<sup>®</sup> DiW

ALKALINE, CHLORINE FREE

RECOMMENDED WORKING SOLUTION:

CONCENTRATION

0,1 ÷ 0,3%



5L - SP007A005  
10L - SP007A010  
20L - SP007A020



### SHINING

#### Gran<sup>®</sup> SIMO

CONCENTRATE

APPLICATION AREA:

Soft and medium hard water, water treatment plants.

RECOMMENDED WORKING SOLUTION:

CONCENTRATION

0,2 ÷ 0,5%



5L - SP015A005  
10L - SP015A010



#### Gran<sup>®</sup> DiW BLUE

ECONOMICAL, CHLORINE FREE

APPLICATION AREA:

Water treatment plants.

RECOMMENDED WORKING SOLUTION:

CONCENTRATION

0,1 ÷ 0,3%



10L - SP684A010  
20L - SP684A020



#### Gran<sup>®</sup> SHINE

SUPER CONCENTRATE

APPLICATION AREA:

Hard water.

RECOMMENDED WORKING SOLUTION:

CONCENTRATION

0,01 ÷ 0,1%



10L - SP014A010



#### Gran<sup>®</sup> Di-Cl

ALKALINE, CHLORINE

RECOMMENDED WORKING SOLUTION:

CONCENTRATION

0,1 ÷ 0,3%



10L - SP009A010  
20L - SP009A020



## UNIVERSAL DILUTION SYSTEM

# TENZI MIX

## DISPENSER FOR DILUTING LIQUIDS

A universal system for dosing ready to use cleaning solutions. Designed for the HoReCa sector, cleaning companies and industrial applications. The dispenser is powered by mains water pressure and does not require electricity.



### TECHNICAL SPECIFICATIONS:

Dimensions: 220 X 95 X 125  
Weight: 0,7 kg  
Water temperature range: 4 ÷ 65°C  
Inlet water pressure range: 2 ÷ 5 bar  
Number of dilution ratios: 12

### DISPENSER TYPES:



Tenzi Mix 1  
• High flow: 8,5 l/1 min  
• Dilution range 1:12 to 1:350



Tenzi Mix 2  
• Low flow: 4,5 l/1 min  
• Dilution range 1:4 to 1:128

## DILUTION RATIOS

### DILUTION RATIO GUIDE:

Dilution ratios have been recorded with mains water at **43.5 PSI (3 bar)**. Tenzi Dispensers strongly recommend you calibrate your own dilution ratios during installation. Always ensure the dispenser is primed when calibrating. Working range **30-70 PSI (3 bar)**, Minimum water flow required, **HF = 8.5L p/m, LF = 3.5L p/m**.

### BRIGHTGAP

<ul style="list-style-type: none"> <li>Standard White/Yellow/Green Dilution Pin</li> <li>Low Flow</li> <li>Pressure: 3 Bar</li> </ul>					<ul style="list-style-type: none"> <li>Standard White/Yellow/Green Dilution Pin</li> <li>High Flow</li> <li>Pressure: 3 Bar</li> </ul>			
	Dilution Ratio	%	oz/gal	ml/ltr	Dilution Ratio	%	oz/gal	ml/ltr
<b>A</b>	4.2	19.3%	24.7	192.7	8.7	10.3%	13.2	103
<b>B</b>	7.6	11.6%	14.9	116.1	17.7	5.3%	6.8	53
<b>C</b>	12	7.9%	10.1	78.8	31	3.2%	4.0	32
<b>D</b>	15	6.4%	8.2	63.7	32	3.0%	3.8	30
<b>E</b>	19	5.0%	6.4	49.7	42	2.3%	3.0	23
<b>F</b>	22	4.4%	5.7	44.3	48	2.0%	2.6	20
<b>G</b>	28	3.4%	4.4	34.3	63	1.6%	2.0	16
<b>H</b>	36	2.7%	3.4	26.8	82	1.2%	1.5	12
<b>I</b>	45	2.2%	2.8	21.8	101	1.0%	1.3	10
<b>J</b>	63	1.56%	2.0	15.6	142	0.70%	0.9	7
<b>K</b>	87	1.14%	1.5	11.4	196	0.51%	0.7	5
<b>L</b>	123	0.81%	1.0	8.1	309	0.32%	0.4	3



### TopEfekt® ZERO

DAILY CLEANING  
ECOLOGICAL, SCENT FREE

APPLICATION AREA:

Floors, interior furnishing.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATIONS	CURRENT DIRT
2%	0,5 ÷ 1%



1L - BB005A001  
10L - BB005A010



### TopEfekt® EXTRA

DAILY CARE  
NEUTRAL ONCE DILUTED, PERFUMED

APPLICATION AREA:

Floors, interior furnishing.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATIONS	CURRENT DIRT
1%	0,25 ÷ 0,5%



1L - PP001A001  
10L - PP001A010



Flow rate (filling):  
4,5 l/min



Methods of use:

- bottle with sprayer
- bucket and mop set
- small single disc machine
- small washing machine (scrubber)



## BEAUTY INDUSTRY

### TopEfekt® SANIT

DAILY CLEANING AND CARE

**APPLICATION AREA:**

Sanitary surfaces ( floors, walls, interior furnishings).

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1 ÷ 5%	0,5 ÷ 2%



1L - TT003A001  
5L - TT003A005  
10L - TT003A010



### GRAN® QAT

DAILY CLEANING AND DISINFECTION,  
NEUTRAL, ALCOHOL FREE

**APPLICATION AREA:**

Floors, interior furnishing.

**RECOMMENDED WORKING SOLUTIONS:**

STRONG CONTAMINATIONS	CURRENT DIRT
2%	2%



1L - SP018A001  
5L - SP018A005



### GLASS

CLEANING AND CARE

**APPLICATION AREA:**

Glass surfaces, mirrors.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATION	CURRENT DIRT
2 ÷ 5%	1 ÷ 2%



1L - SS001A001  
5L - SS001A005  
10L - SS001A010



**Flow rate  
(filling): 8,5 l/min**



**Methods of use:**

- operator-driven dishwashers
- large dishwasher with a seat for operator

## TopEfekt® STR

**DEEP AND DAILY CLEANING**

**APPLICATION AREA:**

Resin floors, painted, elastic PCV in light industry.

**REKOMENDOWANE STĘŻENIE ROZTWORÓW ROBOCZYCH:**

STRONG CONTAMINATIONS	CURRENT DIRT
2 ÷ 5%	~1%



1L - II001A001  
10L - II001A010



## GRAN CLOR® 2006

**THOROUGH CLEANING**

**APPLICATION AREA:**

Industrial floor (rotten process, mould, green leftovers, organic origin dirt) Food industry. Chlorine disinfection in indoor and outdoor facilities.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2%	1%



1L - SP023A001  
5L - SP023A005  
10L - SP023A010  
20L - SP023A020

## SUPER GREEN SPECJAL NF

**DEEP CLEANING  
LOW FOAMING**

**APPLICATION AREA:**

Industrial floors - operational dirt, petroleum origin.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
~5%	1 ÷ 2%



1L - II005A001  
5L - II005A005  
10L - II005A010  
20L - II005A020  
200L - II005A200



## RONAL

**THOROUGH CLEANING**

**APPLICATION AREA:**

Industrial floors, stone - old, build up grease in factory.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
~5%	~1%



1L - II002A001  
10L - II002A010



## INDUSTRIAL SECTOR

### TopEfekt<sup>®</sup> NORMAL

DAILY CLEANING

**APPLICATION AREA:**

Universal, matt floors - light industry, public facilities.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1 ÷ 2%	0,25%



1L - PP004A001  
5L - PP004A005  
10L - PP004A010  
200L - PP004A200



### TopEfekt<sup>®</sup> CONTRA

THOROUGH CLEANING

**APPLICATION AREA:**

Floors in large-scales facilities, operational dirt (stripping properties).

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATION	CURRENT DIRT
~10%	~2%



10L - II004A010



### BRUDEX

THOROUGH CLEANING

**APPLICATION AREA:**

Floors, universal, concrete surfaces, ceramic, washing the working clothes (budget objects).

**RECOMMENDED WORKING SOLUTIONS:**

STRONG CONTAMINATIONS	CURRENT DIRT
~5%	~0,5%



1L - UU006A001  
5L - UU006A005  
10L - UU006A010  
200L - UU006A200



### TOP PERFECT

THOROUGH CLEANING

**APPLICATION AREA:**

Floors in the food industry (removes animal and plant origin grease).

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2 ÷ 5%	~1%



1L - II011A001  
5L - II011A005  
10L - II011A010



### RUBBER OFF

THOROUGH CLEANING

**APPLICATION AREA:**

Floors in underground garages, gyms, warehouses (removes rubber marks in indoor and outdoor facilities).

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
20 ÷ 30%	~2%



1L - PP017A001  
10L - PP017A010



### BRUDEX

**THOROUGH CLEANING**

**APPLICATION AREA:**

Heavily soiled floors, washing mops.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1 ÷ 5%	-



1L - UU006A001  
5L - UU006A005  
10L - UU006A010  
200L - UU006A200



### TopEfekt® STR

**THOROUGH CLEANING**

**APPLICATION AREA:**

Sensitive floors, washing of strongly soiled carpets.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
3 ÷ 5%	-



1L - II001A001  
10L - II001A010



### TopEfekt® MAX

**DAILY CARE**

**APPLICATION AREA:**

Furnitures, wooden panels.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
0,5 ÷ 1%	0,25 ÷ 0,5%



1L - BB002A001  
10L - BB002A010



### TopEfekt® CITRO / ORANŻ / EXOTIC

**DAILY CLEANING**

**APPLICATION AREA:**

Hard floors, ceramic, stone, PCV, glossy and semi-gloss surfaces.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
0,5 ÷ 1%	0,25 ÷ 0,5%



**TopEfekt® CITRO**

1L - BB004A001  
5L - BB004A005  
10L - BB004A010

**TopEfekt® ORANŻ**

1L - BB001A001  
5L - BB001A005  
10L - BB001A010  
200L - BB001A200

**TopEfekt® EXOTIC**

1L - PP011A001  
5L - PP011A005  
10L - PP011A010

**Flow rate (filling): 4,5 l/min**



**Methods of use:**

- bottle with sprayer
- bucket and mop set
- small single disc machine
- small washing machine



## HOTEL SECTOR

### SANIT LUX

**THOROUGH AND DAILY CLEANING**

**APPLICATION AREA:**

All types of sanitary surfaces (hard water).

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
10 ÷ 20%	2 ÷ 3%



1L - TT551A001  
5L - TT551A005



### TopEfekt<sup>®</sup> SANIT

**DAILY CLEANING**

**APPLICATION AREA:**

All types of sanitary surfaces (soft water), new objects.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
5 ÷ 10%	1 ÷ 2%



1L - TT003A001  
5L - TT003A005  
10L - TT003A010



### GLASS

**DAILY CLEANING AND CARE**

**APPLICATION AREA:**

Glass surfaces, mirrors.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2 ÷ 5%	1 ÷ 2%



1L - S5001A001  
5L - S5001A005  
10L - S5001A010



# GRAN CLOR<sup>®</sup> 2006

**THOROUGH CLEANING AND SURFACE DISINFECTION  
CHLORIC**

**APPLICATION AREA:**

Different surfaces (grease, rotten process).

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2 ÷ 5%	1 ÷ 2%



1L - SP023A001  
5L - SP023A005  
10L - SP023A010  
20L - SP023A020



# GRAN<sup>®</sup> QAT

**ONGOING CLEANING AND DISINFECTION  
NEUTRAL, ALCOHOLIC**

**APPLICATION AREA:**

Universal.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2%	2%



1L - SP018A001  
5L - SP018A005



**Flow rate  
(filling): 4,5 l/min**



**Methods of use:**

- bottle with sprayer
- bucket and mop set
- small single disc machine
- small washing machine



## GASTRONOMY SECTOR

### TOP PERFEKT

**THOROUGH AND DAILY CLEANING  
SCENT FREE**

**APPLICATION AREA:**

Floors, kitchen, dining room.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2 ÷ 5%	1 ÷ 2%



1L - II011A001  
5L - II011A005  
10L - II011A010



### BRUDEX

**THOROUGH CLEANING  
UNIVERSAL**

**APPLICATION AREA:**

Floors in kitchen, restaurants. Mop and uniforms washing.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
~5%	1 ÷ 5%



1L - UU006A001  
5L - UU006A005  
10L - UU006A010  
200L - UU006A200



### GRAN<sup>®</sup> STILL

**SCENT FREE**

**APPLICATION AREA:**

Washing sanitary surfaces, stainless steel.

**RECOMMENDED WORKING AREA:**

STRONG CONTAMINATIONS	CURRENT DIRT
~5 ÷ 10%	1 ÷ 2%



1L - SP004A001



## PUBLIC UTILITY AREAS

**Flow rate  
(filling): 4,5 l/min**



**Methods of use:**

- bottle with sprayer
- bucket and mop set

## GRAN CLOR<sup>®</sup> 2006

CLEANING AND DISINFECTION  
ALKALINE, CHLORIC

**APPLICATION AREA:**

Sanitary surfaces.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2%	1 ÷ 2%



1L - SP023A001  
5L - SP023A005  
10L - SP023A010  
20L - SP023A020



## GRAN<sup>®</sup> QAT

ONGOING CLEANING AND DISINFECTION  
NEUTRAL, ALCOHOLIC

**APPLICATION AREA:**

Floors, interior furnishing.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2%	2%



1L - SP018A001  
5L - SP018A005



## TopEfekt<sup>®</sup> SANIT NF

ONGOING WASHING AND THOROUGH CLEANING  
ACIDIC

**APPLICATION AREA:**

Sanitary surfaces.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
5 ÷ 10%	2 ÷ 3%



1L - TT056A001  
10L - TT056A010



## BRUDEX

THOROUGH CLEANING

**APPLICATION AREA:**

Floors. Mop and safety clothes washing.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
~5%	~1 ÷ 2%



1L - UU006A001  
5L - UU006A005  
10L - UU006A010  
20L - UU006A200



## PUBLIC UTILITY AREAS

### TopEfekt® NORMAL


ONGOING CLEANING

**APPLICATION AREA:**

Matt floors with a high throughput of people.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1 ÷ 2%	0,25 ÷ 0,5%



1L - PP004A001  
5L - PP004A005  
10L - PP004A010  
200L - PP004A200



### TopEfekt® ORANŻ / CITRO / EXOTIC

ONGOING CLEANING

**APPLICATION AREA:**

Glossy and semi-gloss floors., interior furnishing.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1%	0,25 ÷ 0,5%



**TopEfekt® CITRO**  
1L - BB004A001  
5L - BB004A005  
10L - BB004A010

**TopEfekt® EXOTIC**  
1L - PP011A001  
5L - PP011A005  
10L - PP011A010

**TopEfekt® ORANŻ**

1L - BB001A001  
5L - BB001A005  
10L - BB001A010  
200L - BB001A200



### DEKAM

ONGOING CLEANING

**APPLICATION AREA:**

Removing marks and smudges after hard water, salt, and construction dust.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2 ÷ 5%	0,5 ÷ 1%



1L - PP007A001  
5L - PP007A005



# NEW

## MACHINE WASHING FLOORS

### DEGREASING

DAILY CLEANING

APPLICATION AREA:

Floors in gastronomy, industry sector.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATION	CURRENT DIRT
5%	5%



5L - WPP846A005

### DEEP CLEANING

THOROUGH WASHING

APPLICATION AREA:

Floors in repair workshops, garages, vehicle service stations, industrial halls.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATION	CURRENT DIRT
5%	5%



5L - WPP845A005



### MAINTENANCE

DAILY CLEANING AND WASHING

APPLICATION AREA:

Hard floors in staircases, corridors, common parts of residential buildings and office buildings.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATION	CURRENT DIRT
2%	2%



5L - WPP847A005

## SPORTS HALL

**Flow rate  
(filling): 4,5 l/min**



### Methods of use:

- bucket and mop set
- washing machine
- single disc washing machine

## TopEfekt® STR

**THOROUGH CLEANING**

### APPLICATION AREA:

All types of sports floor heavily soiled.

### RECOMMENDED WORKING SOLUTION:

#### CONCENTRATION

3 ÷ 5%



1L - II001A001  
10L - II001A010



## RUBBER OFF

**PERIODICAL CLEANING  
STRIPPING PROPERTIES**

### APPLICATION AREA:

Periodic removal of rubber marks from footwear.

### RECOMMENDED WORKING SOLUTION:

#### STRONG CONTAMINATIONS

20 ÷ 30%

#### CURRENT DIRT

~2%



1L - PP017A001  
10L - PP017A010



## TopEfekt® DIAM

**ONGOING CLEANING AND CARE**

### APPLICATION AREA:

Impregnated and non-impregnated sports floors. Fast maintenance. Anti-slip, anti-glare, antistatic. Polishable.

### RECOMMENDED WORKING SOLUTION:

#### CONCENTRATION

0,25 ÷ 0,5%



1L - PP003A001  
5L - PP003A005  
10L - PP003A010



## GRAN® QAT

**ONGOING CLEANING AND DISINFECTION  
NEUTRAL**

### APPLICATION AREA:

Floors in sports facilities used for barefoot exercise.

### RECOMMENDED WORKING SOLUTION:

#### CONCENTRATION

min. 2%



1L - SP018A001  
5L - SP018A005



## SUPERMARKETS, SHOPS, SHOPPING MALL

Flow rate  
(filling): 4,5 l/min

Flow rate  
(filling): 8,5 l/min

Methods of use:

- bucket and mop set
- small, medium washing machine
- single disc machine
- big washing machine



## SUPER GREEN SPECJAL NF

THOROUGH CLEANING  
LOW FOAMING

APPLICATION AREA:

Hard floors, heavy soils in building markets.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATIONS	CURRENT DIRT
to 10%	1-2%



1L - II005A001  
5L - II005A005  
10L - II005A010  
20L - II005A020  
200L - II005A200



## TopEfekt® NORMAL

ONGOING CLEANING

APPLICATION AREA:

Matt floors with a high throughput of people.

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATIONS	CURRENT DIRT
1 ÷ 2%	~0,25 ÷ 0,5%



1L - PP004A001  
5L - PP004A005  
10L - PP004A010  
200L - PP004A200



## TopEfekt® CONTRA

THOROUGH CLEANING

APPLICATION AREA:

Hard floors, heavy soils in discount stores (stripping properties).

RECOMMENDED WORKING SOLUTION:

STRONG CONTAMINATIONS	CURRENT DIRT
~5%	~2%



10L - II004A010



## SUPERMARKETS, SHOPS, SHOPPING MALL

### TopEfekt® SOP

ONGOING CLEANING AND CARE  
PROTECTIVE FILM

**APPLICATION AREA:**

Floors.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
2%	~0,25 ÷ 0,5%



10L - I1003A010



### DEKAM

ONGOING CLEANING  
SLIGHTLY ACIDIC

**RECOMENDED WORKING SOLUTION:**

Removes residues after hard water, chemicals, salt, and construction dust.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1 ÷ 2%	~0,25 ÷ 0,5%



1L - PP007A001  
5L - PP007A005



### TopEfekt® CITRO / ORANŻ / EXOTIC

ONGOING CLEANING

**APPLICATION AREA:**

Glossy and semi-gloss floors, universal.

**RECOMMENDED WORKING SOLUTION:**

STRONG CONTAMINATIONS	CURRENT DIRT
1%	0,25%



**TopEfekt® CITRO**  
1L - BB004A001  
5L - BB004A005  
10L - BB004A010

**TopEfekt® ORANŻ**  
1L - BB001A001  
5L - BB001A005  
10L - BB001A010  
200L - BB001A200

**TopEfekt® EXOTIC**  
1L - PP011A001  
5L - PP011A005  
10L - PP011A010



